





80N steel fire partition

80N double-glass fire partition, while meeting the requirement of full steel fire resistance, can also installation blinds, achieving the desired privacy and experience in line with the common expectations of customers.


- The thickness of 80N system is 80mm
- 1.5mm excellent cold-rolled steel profiles
- The viewing dimensions for the overhead track and wall-mounted columns are 40mm.
- viewing dimension of a vertical column is 64mm
- The thickness of glass is 6-8mm
- Fire resistance rating : E60-90min




80N system profiles




Code: PDA1882CA
 L : 6.0m
 G : 3.16kg/m



Code: PDA1923CA
 L : 6.0m
 G : 0.91kg/m



Code: PDA1925AL
 L : 6.0m
 G_{AL} : 0.18kg/m




Code: PDA1924AL
 L : 6.0m
 G_{AL} : 0.13kg/m




Code: PDA1927AL
 L : 6.0m
 G_{AL} : 0.28kg/m



Code: PDA1928AL
 L : 6.0m
 G_{AL} : 0.16kg/m









Code: PDA1920
 L : 6.0m
 G_{AL} : 2.14kg/m







Code: PDA1922
 L : 6.0m
 G_{AL} : 1.64kg/m

80N steel fire partition node diagram



80N steel fire partition node diagram



BAOSTEEL
E60min Steel fire partition

Project case



Lenovo
E60min steel fire partition

Project case



Wuhan Construction Engineering Technology Center
E60min steel fire partition

Project case



Abbott China
E 60min and E90min steel fire partition

Project case



Ruifeng Steel Group
E 60min and E90min steel fire partition

Project case





PDA website: www.international-pda.com

contact: International Business Manager: **Yini Tao**

E-mail: taoyini@eng-pda.com

Marketing Manager: **Nancy Zhao**

E-mail: zhzh@eng-pda.com